

EBC-3000

Mini-ITX Chassis for High Power Consumption Application



1
Industrial
Computing
Solutions

2
Embedded
Computing
Solutions

3
RISC-Based
Embedded
Solutions

4
Industrial
Data
Collector/
Server
Solutions

5
Video
Capture
Solutions

6
I/O
Communication
Solutions

7
Panel
Solutions

8
Power Supply/
Network
Communication/
Peripherals

Features


- ◆ Design for high performance application bundle with 270W high efficiency ATX power supply
- ◆ Front accessible I/O design
- ◆ one 3.5" hard drive capacity

Specifications

SBC Form Factor	Mini-ITX
Drive Bays	1x 3.5" hard drive
Cooling Fans	1 x 6cm
I/O Ports	2 x DB-9, 2 x USB
Indicators	Power, HDD LED
Buttons	Power switch, reset
Chassis Construction	Heavy duty metal with plastic front panel
Operating Temperature*	0°C~40°C
Operating Humidity	10% ~90%
Color	Black
Weight (Net / Goss)	2.5Kg / 3.9Kg
Dimensions (DxWxH)	230 mm x 280 mm x 88 mm
Mounting	Desktop, wall mount

* Operating temperature is determined by system thermal test running with KINO-9654G4, Pentium IV 3.4GHz processor 651 and 2GB DDR2 RAM.

Dimensions (unit:mm)



Compatible SBC

Part No.	Recomand CPU Cooler
KINO-9654G4	CF-520-RS, CF-775B-RS
KINO-9454	CF-520-RS, CF-775B-RS
KINO-9652	CF-479B-RS
KINO-9453	CF-479B-RS
KINO-9452	CF-479B-RS
KINO-690AM2	CF-AM2-RS
KINO-761AM2	CF-AM2-RS

Packing List

1 x EBC-3000	1 x QIG
1 x Wall mount kit	1 x Screw set
1 x Power cord	

Ordering Information

Part No.	Description
EBC-3000-R10/ACE-A627A	Mini-ITX embedded chassis, one 3.5" hard drive bay, with ACE-A627A-RS 270W ATX power supply, black, RoHS
EBC-3000-R10/ACE-A618A	Mini-ITX embedded chassis, one 3.5" hard drive bay, with ACE-A618A-RS 180W ATX power supply, black, RoHS